



PREMIUM  
PRODUCER

PROJECT  
PARTNER

PIPE & TUBE FITTING  
SPECIALIST



**SHREE ARBUDA STEEL**  
"QUALITY MAKERS"



## INTRODUCTION

We take pride in introduction ourselves as one of the leading importers, Manufacturer & Exporters of a comprehensive range of premium quality Stainless Steel and Ferrous and Non-Ferrous Products items which are required by your company in all aspects of projects implementation, maintenance, modernization etc. Our offering include stainless steel pipes / tubes, plates, coils, sheets, rods, strips, nuts and bolts. **SHREE ARBUDA STEEL** products are known for their high performance, durability and effectiveness.

Established in 2008, the company has always achieved a good growth rate and success, a direct result of our efficient service to trade and industry. We are a partnership firm, working under the capable guidance who has vast experience and extensive knowledge of this industry. **SHREE ARBUDA STEEL** was established with the objective of always putting customer interest first; that is what we did and what we are still doing today.

### **Our Product Range :**

**Stainless Steel :** Pipes & Tubes (Seamless / Welded / Fabricated), Sheets, Plates, Rods, Wires, Pipes Fittings and components in AISI 202, 304, 304L, 309, 310, 316, 316L, 317L, 321, 321,347, 416, 410, 420 & 431 Grades etc. in all dimensions in Asian, American & European origin

### **Alloys Steel / Carbon Steel :**

Pipes and Tubes ( ERW & W / Seamless) as per ASTM A335, P5, P11, P12, P22 and ASTM A 106, Gr. B, SA 179, BS-3059 Part I & II, IS-1269

### **SS/CS/AS Fittings :**

Butt-welded / Stock-Welded / Forged and compression type with Ferrules as per ASTM A403, WPS, A182, A105, A234, WPB, WP5, WP11, Wp12, WP22, etc. as per project requirements. We also stock Monel, Nickel, Hastily, Inconel 600 / 800, Copper, Brass, Aluminum, Lead, Tin, Zinc and other minor metals in various sizes and shapes.

Over the years, we have gained sufficient experience in this field and received substantial business from reputed concerns in the chemical industry : petrochemical corporations, oil refineries, pharmaceutical companies, pulp and paper mills, cement plants and fertilizer plants. We have also been suppliers to dairies, breweries, sugar mills, nuclear and thermal power stations, engineering concerns as well as projects of national importance. Many of our clients place orders with us on a repeated basis, which speaks volumes of the quality of our products and service.



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## INSTRUMENTATION DOUBLE FERRULE TUBE FITTINGS



Union



Union Elbow



Union Tee



Union Cross



Union Bulkhead



Reducing Union Elbow



Reducing Union Tee



Bulkhead Female Connector



Male Connector



Female Connector



Male Elbow



Female Elbow



Bulkhead Male Connector



Male Branch Tee



Male Run Tee



Female Branch Tee



Female Run Tee



Tube Cap



Tube Reducer



Weld Union



Weld Elbow



Nut



Bulkhead Lock Nut



Front Ferrule



Back Ferrule

## SPECIFICATION

**SIZE :**  
4 MM OD To 38 MM OD  
1/8" OD To 1 1/2" OD

**PRESSURE :** 100 Psi To 6000 Psi

**DESIGN :** Forged Body or Bar Stock Body

**OTHER NON STANDARD SIZES WE OFFER**  
1/4" NB, 3/8" NB, 1/2" NB, 3/4" NB, 1" NB, 1 1/4" NB, 1 1/2" NB & 2" NB.

**MATERIAL :**  
Stainless Steel, Stainless Steel 304, Stainless Steel 304L, Stainless Steel 316 ,  
Stainless Steel 316L, Stainless Steel 316Ti, Stainless Steel 310, Brass, Copper,  
Duplex, Super Duplex , Inconel, Monel, Hastelloy, 254 SMO, 904L, Titanium, Cupro  
Nickel , PTFE

**END CONNECTION :** BSP, BSPT, NPT, UNF, Metric

**COATING & SURFACE TREATMENT :**  
Stainless Steel Bright Finish, Electro Plating and any other Custom plating as  
per customers requirement. Nut will be Silver Plated

**BRAND :** "SAS"

**EQUIVALENT TO :** SWAGELOK & PARKER



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## HYDRAULIC FITTINGS



Straight Coupling



Equal Elbow



Equal Tee



Equal Cross



Straight Bulkhead



Bulkhead Elbow



Straight Reducer



Tee Reducer



Weld Bulkhead



Buttweld Stand Pipe



Male Stud Coupling



Male Stud Elbow



Female Stud Coupling



Female Thread Adjustable Elbow



Female Thread Adjustable Branch Tee



Female Thread Adjustable Run Tee



Buttweld Stud Coupling



Reducing Thread Adaptor



Stand Pipe Adaptor



Nut



Bite Ring



Weld Nipple



Special Weld Nipple



Blanking Plug



Blanking End

## SPECIFICATION

**MANUFACTURING STANDARD** : As Per DIN 2353 / EN ISO 8434-1 Standard.

**SERIES** : Very Light (LL) Series, Light (L) Series, Heavy (S) Series

**SIZE** :  
LL Series - 4LL, 6LL, 8LL, 10LL, 12 LL.  
L Series - 6L, 8L, 10L, 12L, 15L, 18L, 22L, 28L, 35L, 42L.  
S Series - 6S, 8S, 10S, 12S, 16S, 20S, 25S, 30S, 38S.

**PRESSURE** :  
LL Series Up to 100 bar  
L Series Up to 500 bar  
S Series Up to 800 bar

**DESIGN** : Forged Body or Bar Stock Body

**OTHER NON STANDARD SIZES WE OFFER** :  
1/4" NB, 3/8" NB, 1/2" NB, 3/4" NB, 1" NB, 1 1/4" NB, 1 1/2" NB & 2" NB.

**MATERIAL** :  
Carbon Steel, Stainless Steel, Stainless Steel 304, Stainless Steel 304L, Stainless Steel 316, Stainless Steel 316L, Stainless Steel 316Ti, Stainless Steel 310, Brass, Copper, Duplex, Super Duplex, Inconel, Monel, Hastelloy, 254 SMO, 904L, Titanium, Cupro Nickel

**END CONNECTION** : BSP, BSPT, NPT, UNF, Metric

**CONE TYPE** : 24 Degree Cone

**COATING & SURFACE TREATMENT** :  
Trivalent Zinc, Yellow Passivation, Black Phosphatized, Chrome VI Free Plating, Nickel Plating, Cadmium Plating, Stainless Steel Bright Finish, Electro Plating and any other Custom plating as per customers requirement.

**BRAND** : "SAS"

**EQUIVALENT TO** : "PARKER"



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## HYDRAULIC PIPE CLAMP



Standard Series Pipe Clamp



Heavy Series Pipe Clamp



Twin Series Pipe Clamp



Aluminum Series Pipe Clamp



Multi Layer Pipe Clamp



Polyamide Pipe Clamp



Rail Mounted Pipe Clamp



Twin Rail Pipe Clamp



Standard Series DIN Rail



Heavy Series DIN Rail



Standard Series Rail Nut



Heavy Series Rail Nut



Elongated Weld Plate Pipe Clamp



Polypropylene Jaws



Polyamide Jaws



Aluminum Jaws



Stacking Bolt



U Clamp



P Clip

## SPECIFICATION

**MANUFACTURING STANDARD :** As Per DIN 3015

**SERIES :**  
Standard Series, Heavy Series, Twin Series, Aluminum Series, Multi Layer

**SIZE :**  
Standard Series - 6 mm to 76.1 mm  
Heavy series - 6 mm to 219 mm  
Twin Series - 6 mm to 42 mm

**GROUP :**  
Standard Series - Group 1 To Group 7  
Heavy series - Group 1 To Group 8  
Twin Series - Group 1 To Group 5

**MATERIAL :**  
Clamp Body - Polypropylene (Green) & Polyamide (Black), Aluminum (Silver)  
Cover Plate - Carbon Steel (Zinc Plated), Stainless Steel 304, Stainless Steel 316  
Weld Plate - Carbon Steel (Zinc Plated), Stainless Steel 304, Stainless Steel 316  
Bolts - Carbon Steel (Zinc Plated)- 4.6 Grade, 8.8 Grade, 10.9 Grade, Stainless Steel 304, Stainless Steel 316

**WORKING PRESSURE :** 100 PSI to 10000 PSI

**BRAND :** "SAS"

**EQUIVALENT TO :** STAUFF / PARKER/SWAGELOK



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## HYDRAULIC SAE FLANGES



SAE Split Flange



SAE Mono Flange



SAE Butt Weld Flange



SAE Socket Weld Flange



SAE Threaded Flange



O-Ring Face SAE Flange



Flat Face SAE Flange



SAE Blind Flange



SAE Flange Without Neck



Square Flange



Cetop Flange



SHA SHB Flange



Swivel Type Weld Flange



SAE Cover Plate



SAE Locking Flange



SAE 90° Elbow S/W Flange



SAE 90° Elbow Threaded Flange



SAE 90° Elbow B/W Flange



OVal Flange



SAE Butt Weld Adaptor



SAE Threaded Adaptor



SAE Socket Weld Adaptor



SAE 90° B/W Elbow Adaptor



SAE 90° Threaded Elbow Adaptor



SAE Block Type Flange

## SPECIFICATION

**STANDARD :** SAE J 518 C / ISO 6162

**SIZE :**  
SAE Code 61 (3000 Series) – ½" NB (DN 15) To 5" NB (DN 125)  
SAE Code 62 (6000 Series) – ½" NB (DN 15) To 5" NB (DN 125)

**PRESSURE RATING :**  
3000 PSI (210 BAR) & 6000 PSI [(420 BAR)

**MATERIAL :**  
Flange - Carbon Steel – ST 52.3, Stainless Steel – SS 304, SS 316 , SS 321 ,  
SS 316TI, Duplex , Monel , Inconel  
Allen Bolts – 8.8 Grade, 10.9 Grade, 4.6 Grade, SS 304 & SS 316  
O-Ring – NBR & Viton

**DESIGN :** Forged Body & Bar Stock Body

**FLANGE FACE TYPE :** Flat Face & O-Ring Face

**FLANGE SET :**

TRIDENT ALLOYS offers full set which comprises of Single or Double Flange (O-Ring Face & Flat Face), 4 Allen Bolts & 1 O-Ring

**COATING/SURFACE TREATMENT :**

Black Phosphatised, Black Oiled, Trivalent Zinc Plating, Yellow Passivation, Stainless Steel Bright Finish, Electro Plating & any Custom plating as per customers requirement.

**BRAND :** "SAS"

**EQUIVALENT TO :** STAUFF & PARKER



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## BALL VALVES



Female Threaded Ball Valve



Male Threaded Ball Valve



Tube End Ball Valve



Hydraulic Ball Valve



Socket Weld Ball Valve



3 Way L Port Ball Valve



Screwed End Panel Mounted B/V



Tube End Panel Mounted B/V



3 Way Panel Mounted B/V



Hexagonal Body Ball Valve



Weld Nipple Type Ball Valve



Forged Ball Valve



Lockable Ball Valve



SAE Flange Ball Valve



3000 PSI Ball Valve



6000 PSI Ball Valve



10000 PSI Ball Valve



15000 PSI Ball Valve



3 PC Screwed End Ball Valve



3 PC S/W Ball Valve



3 PC Butt Weld End Ball Valve



Flange End Ball Valve



3 PC Flange End Ball Valve



PTFE Ball Valve



Short Handle Ball Valve

## SPECIFICATION

**SIZE :** 1/8" to 2" / 4mm to 50mm

**END CONNECTION :** Threaded, Tube End, Socket weld, Butt Weld

**THREAD :** NPT, BSP, BSPT, UNF, METRIC

**BALL SEATING :** PTFE, Delrin, Peek

**BODY :** Bar Stock & Forged

**DESIGN :** Round Body, Square Body, Hexagonal Body.

**PRESSURE RATING**

1500 PSI, 3000 PSI, 6000 PSI, 10,000 PSI, 15,000 PSI & 20,000 PSI

**MATERIAL**

Carbon Steel , Stainless Steel, Stainless Steel 304, Stainless Steel 304L, Stainless Steel 316 , Stainless Steel 316L, Stainless Steel 316Ti, Stainless Steel 310, Brass, Copper, Duplex, Super Duplex , Inconel, Monel, Hastelloy, 254 SMO, 904L, Titanium, Cupro Nickel, PTFE

**BRAND :** "SAS"

**COATING / SURFACE TREATMENT**

Bright Finish, Electro Plating, Trivalent Zinc Plating, Yellow Passivation, Black Phosphatized and any other plating as per customers requirement.

**EQUIVALENT TO :** "SAS"



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## NEEDLE VALVES



Female Threaded Needle Valve



Male Threaded Needle Valve



Male X Female Threaded Needle Valve



Tube End Needle Valve



Angle Needle Valve



Union Bonnet Needle Valve



Hexagonal Body Needle Valve



Forged Body Needle Valve



Needle Valve with Vent Plug



Weld Nipple Type Needle Valve



Socket Weld End Needle Valve



Butt Weld End Needle Valve



3 Way Needle Valve



Knob Needle Valve



3000 PSI Needle Valve



6000 PSI Needle Valve



10000 PSI Needle Valve



15000 PSI Needle Valve



20000 PSI Needle Valve



PTFE Needle Valve

## SPECIFICATION

**SIZE :** 1/8" to 2" / 4mm to 50mm

**END CONNECTION :** Threaded, Tube End, Socket weld, Butt Weld

**THREAD :** NPT, BSP, BSPT, UNF, METRIC

**BODY :** Bar Stock

**DESIGN :** Square Body, Hexagonal Body.

**PRESSURE RATING :**

1500 PSI, 3000 PSI, 6000 PSI, 10,000 PSI, 15,000 PSI & 20,000 PSI

**MATERIAL :**

Carbon Steel , Stainless Steel, Stainless Steel 304, Stainless Steel 304L, Stainless Steel 316 , Stainless Steel 316L, Stainless Steel 316Ti, Stainless Steel 310, Brass, Copper, Duplex, Super Duplex , Inconel, Monel, Hastelloy, 254 SMO, 904L, Titanium, Cupro Nickel, PTFE

**COATING / SURFACE TREATMENT :**

Bright Finish, Electro Plating, Trivalent Zinc Plating, Yellow Passivation, Black Phosphatized and any other plating as per customers requirement.

**BRAND :** "SAS"

**EQUIVALENT TO :** "SAS"



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## MANIFOLD VALVES



2 Way Gauge Valve



2 Way Manifold Valve



3 Way Manifold Valve



3 Way T - Type Manifold Valve



3 Way H - Type Manifold Valve



5 Way Manifold Valve



5 Way T - Type Manifold Valve



5 Way H - Type Manifold Valve



5 Way Direct Mount Type Manifold Valve

## CHECK VALVES



Female Threaded Check Valve



Male Threaded Check Valve



Tube End Check Valve



Socket Weld End Check Valve



6000 PSI Check Valve



10000 PSI Check Valve

## SPECIFICATION

**SIZE :** 1/8" to 2" / 4mm to 50mm

**END CONNECTION :** Threaded, Tube End, Socket weld

**THREAD :** NPT, BSP, BSPT, UNF, METRIC

**BODY :** Bar Stock

**DESIGN :** Hexagonal Body, Square Body

**PRESSURE RATING**

1500 PSI, 3000 PSI, 6000 PSI, 10,000 PSI, 15,000 PSI & 20,000 PSI

**MATERIAL**

Carbon Steel , Stainless Steel, Stainless Steel 304, Stainless Steel 304L, Stainless Steel 316 , Stainless Steel 316L, Stainless Steel 316Ti, Stainless Steel 310, Brass, Copper, Duplex, Super Duplex , Inconel, Monel, Hastelloy, 254 SMO, 904L, Titanium, Cupro Nickel

**BRAND :** "SAS"

**COATING / SURFACE TREATMENT**

Bright Finish, Electro Plating, Trivalent Zinc Plating, Yellow Passivation, Black Phosphatized and any other plating as per customers requirement.

**EQUIVALENT TO :** "SAS"



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## PIPES & TUBES



SS Seamless Pipes



SS Seamless Tubes



SS ERW Pipes



SS Bright Seamless Tube



CS Seamless Tubes



Hydraulic Seamless Tubes



Brass Tubes



Hard Copper Tubes



Soft Copper Tube

## BUTT-WELD FITTINGS



Elbow



Tee



Concentric Reducer



Eccentric Reducer



End Cap



Long Stubend



Short Stubend

## FORGED FITTINGS



Elbow



Tee



Union



Weldolet



Threadolet



Sockolet

## FLANGES



Blind Flange



Lap Joint Flange



Slip On Flange



Socket Weld Flange



Threaded Flange



Weld Neck Flange

## PIPE FITTINGS



Male Elbow



Male Tee



Female Elbow



Female Tee



Round Coupling



Hex Coupling



Hex Nipple



Hex Adaptor



Hex Plug



Reducing Adaptor



VSTI Plug



Female Cross



# SHREE ARBUDA STEEL

"QUALITY MAKERS"

Mobile : +91 8108105140 / 8850182889

## QUICK RELEASE COUPLING



Straight Through QRC



Single Check Valve QRC



Double Check Valve QRC



Flat Face QRC



Male X Male QRC



DIN Series QRC



ISO 7241-A Series QRC



ISO 7241-B Series QRC

## SYPHON



M X M U-Type Syphon



M X F U-Type Syphon



M X M Q-Type Syphon



M X F Q-Type Syphon

## GAUGE SNUBBER



## PRESSURE GAUGE



## PRESSURE RELIEF VALVE



## CONDENSATE POT



## FLOW CONTROL VALVE



## GLOBE VALVE



## AIR HEADER



## DOWTY SEAL



## GATE VALVE





## APPLICATION INDUSTRIES

- Oil & Gas Industries
- Steel Plant & Rolling Mills Mfg.
- Automobile & Heavy Mobile Vehicle
- Material Handling Stores
- Agriculture Machinery Equipments
- Refineries
- Analyzer-lab & Testing Equipments
- Paint Industries
- Car Care Systems
- Life Sciences
- Super Market Storage & Rack System
- Automation Machinery
- Multi Parking Systems
- Military
- Power Generations Systems
- Cement Industry Machinery
- Motion & Control Tech. Equipment
- Hydrostatic Drive Systems
- Hydrostatic Press & Power Packs
- Cooling & Heating Systems
- Packaging Equipments
- Engines & Railways
- Pulp Paper Machinery
- Fuel Cells Components
- Machine Tool Application
- Industrial Mining Equipments
- Food & Beverage Equipments
- Marine Project
- Oil Mill Plants
- Aerospace & Aircraft System
- Pollution Control Equipments
- Offshore Engineering
- Plastic / Rubber Processing Machines
- Chemical Machinery



# SHREE ARBUDA STEEL

“QUALITY MAKERS”

EXPORTER, IMPORTERS, STOCKISTS & MANUFACTURERS OF  
 STAINLESS STEEL | CARBON STEEL | ALLOY STEEL | HIGH NICKEL ALLOYS  
 PIPES | TUBES | FITTINGS | FLANGES | PLATES | BARS | FASTENERS

**Office :** Shop No. 9, Ground Floor, 91/95, Mukund Bhuvan, 3rd Kumbharwada, Dr. M.G. Mahimtura Marg, Mumbai - 400004.

**Godown :** Ground Floor, Shop No. 9, A-Wing, Parshuram Pupala Marg, Anjuman High School, Mumbai Central, Mumbai - 400008.

**Factory :** Industrial Gala No. 17, Aakash Industrial Estate, Gate No. 123, Plot No. 20, Village Padghe, Taluka Palghar, Dist. Palghar.



shreeabrudasteel@gmail.com / export@shreearbudasteel.com



+91 8108105140 / 8850182889